

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

Docket No.: C 2

**Claims**

Claim 1: A composition comprising:

(a) an oily substance; and

(b) a solubilizer containing:

(i) a first surfactant selected from the group consisting of a fatty alcohol ethoxylate corresponding to formula (I):

$$R^1-(C_2H_4O)_n-H$$
 wherein  $R^1$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, and  $n$  is an integer from 1 to about 10, a fatty alcohol alkoxylate corresponding to formula (II):
$$R^2-(C_2H_4O)_n-(C_3H_6O)_m-H$$
 wherein  $R^2$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, and  $n$  and  $m$  are, independently from one another, an integer from 1 to about 10, and mixtures thereof;

(ii) an alkyl and/or alkenyl oligoglycoside corresponding to formula (III):

$$R^3O-[G]_p$$
 wherein  $R^3$  is a branched and unbranched alkyl and/or alkenyl radical having from about 4 to 22 carbon atoms,  $G$  is a sugar radical having 5 or 6 carbon atoms, and  $p$  is a number from 1 to 10;

(iii) a fatty alcohol ether sulfate corresponding to formula (IV):

$$R^4-(C_2H_4O)_n-SO_3K^+$$
 wherein  $R^4$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms,  $n$  is a number from 1 to about 10, and  $K^+$  represents a cation; and

(iv) optionally, an acid component.

Claim 2: The composition of claim 1 wherein (i) is present in the solubilizer in an amount of from about 1 to 20% by weight, based on the weight of the solubilizer.

Claim 3: The composition of claim 1 wherein (i) is present in the solubilizer in an amount of from about 2 to 15% by weight, based on the weight of the solubilizer.

Claim 4: The composition of claim 1 wherein (i) is present in the solubilizer in an amount of from about 5 to 10% by weight, based on the weight of the solubilizer.

Docket No.: C2

Claim 5: The composition of claim 1 wherein (ii) is present in the solubilizer in an amount of from about 10 to 60% by weight, based on the weight of the solubilizer.

Claim 6: The composition of claim 1 wherein (ii) is present in the solubilizer in an amount of from about 25 to 50% by weight, based on the weight of the solubilizer.

Claim 7: The composition of claim 1 wherein (iii) is present in the solubilizer in an amount of from about 10 to 80% by weight, based on the weight of the solubilizer.

Claim 8: The composition of claim 1 wherein (iii) is present in the solubilizer in an amount of from about 25 to 60% by weight, based on the weight of the solubilizer.

Claim 9: The composition of claim 1 wherein (iii) is present in the solubilizer in an amount of from about 30 to 55% by weight, based on the weight of the solubilizer.

15

Claim 10: The composition of claim 1 wherein (iv) is present in the solubilizer in an amount of from about 0.1 to 3% by weight, based on the weight of the solubilizer.

Claim 11: The composition of claim 1 wherein the solubilizer is present in the composition in an amount of from about 1 to 30% by weight, based on the weight of the composition.

Claim 12: A process for solubilizing an oily substance comprising:

(a) providing an oily substance;

25

(b) providing a solubilizer containing:

(i) a first surfactant selected from the group consisting of a fatty alcohol ethoxylate corresponding to formula (I):

30

$R^1-(C_2H_4O)_n-H$ , wherein  $R^1$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, and  $n$  is an integer from 1 to about 10, a fatty alcohol alkoxylate corresponding to formula (II);

$R^2-(C_2H_4O)_n-(C_3H_6O)_m-H$ , wherein  $R^2$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms,

Docket No.: C 2

and n and m are, independently from one another, an integer from 1 to about 10, and mixtures thereof;

(ii) an alkyl and/or alkenyl oligoglycoside corresponding to formula (III):  $R^3O-[G]_p$ , wherein  $R^3$  is a branched and unbranched alkyl and/or alkenyl radical having from about 4 to 22 carbon atoms, G is a sugar radical having 5 or 6 carbon atoms, and p is a number from 1 to 10;

(iii) a fatty alcohol ether sulfate corresponding to formula (IV):  $R^4-(C_2H_4O)_n-SO_3^-K^+$  wherein  $R^4$  is a linear or branched, saturated or unsaturated alkyl moiety having from about 6 to 22 carbon atoms, n is a number from 1 to about 10, and  $K^+$  represents a cation; and

(iv) optionally, an acid component; and

(c) combining (a) and (b).

Claim 13: The process of claim 12 wherein (i) is present in the solubilizer in an amount of from about 1 to 20% by weight, based on the weight of the solubilizer.

Claim 14: The process of claim 12 wherein (i) is present in the solubilizer in an amount of from about 5 to 10% by weight, based on the weight of the solubilizer.

Claim 15: The process of claim 12 wherein (ii) is present in the solubilizer in an amount of from about 10 to 60% by weight, based on the weight of the solubilizer.

Claim 16: The process of claim 12 wherein (ii) is present in the solubilizer in an amount of from about 25 to 50% by weight, based on the weight of the solubilizer.

Claim 17: The process of claim 12 wherein (iii) is present in the solubilizer in an amount of from about 10 to 80% by weight, based on the weight of the solubilizer.

Claim 18: The process of claim 12 wherein (iii) is present in the solubilizer in an amount of from about 30 to 55% by weight, based on the weight of the solubilizer.

Claim 19: The process of claim 12 wherein (iv) is present in the solubilizer in an amount of from about 0.1 to 3% by weight, based on the weight of the solubilizer.

Docket No.: C 2

Claim 20: The process of claim 12 wherein the solubilizer is present in the composition in an amount of from about 1 to 30% by weight, based on the weight of the composition.

5